AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An optical wave-guide absorption cell, comprising:

a first wave-guide;

a holey wave-guide containing filled with a known selective absorption medium,

wherein a first terminus of said holey wave-guide is coupled to a first terminus of said

first wave-guide; and

a second wave-guide, wherein a first terminus of said second wave-guide is

coupled to a second terminus of said holey wave-guide.

2. (Original) The optical wave-guide absorption cell according to Claim 1,

wherein said first terminus of said holey wave-guide is coupled to said first terminus of

said first wave-guide utilizing a fusion splice.

3. (Original) The optical wave-guide absorption cell according to Claim 1,

wherein said first terminus of said holey wave-guide is coupled to said first terminus of

said first wave-guide utilizing a light transmitting adhesive.

4. (Original) The optical wave-guide absorption cell according to Claim 1,

wherein said holey wave-guide comprises:

a core; and

a plurality of voids formed in said core.

5. (Previously Presented) The optical wave-guide absorption cell according to

Claim 4, wherein said holey wave-guide further comprises a fill hole formed in said

core, wherein said fill hole is an opening into said core that is not at said first terminus

AGLT-10020766-1/JPW/MJB Examiner: Chiem, Dinh D.

IPW/MJB Serial No.: 10/616,090 Dinh D. 2 Group Art Unit: 2883 of said holey wave-guide and is not at said second terminus of said holey wave-guide, said fill hole adapted to introduce said known selective absorption medium into said plurality of voids.

6. (Original) The optical wave-guide absorption cell according to Claim 1, wherein:

said first wave-guide comprises a first fiber optic cable; said holey wave-guide comprises a holey fiber optic cable; and said second wave-guide comprises a second fiber optic cable.

7. (Currently Amended) A fiber optic absorption cell comprising a holey fiber optic cable adapted for propagating an optical signal, wherein said holey fiber optic cable comprises:

a core;

a plurality of voids formed in said core;

a known selective absorption medium <del>contained in filling</del> said plurality of voids; and

a fill hole formed in said core, wherein said fill hole is an opening into said core that is not at a terminus of said holey fiber optic cable, said fill hole adapted to introduce said known selective absorption medium into said plurality of voids.

8. (Previously Presented) The fiber optic absorption cell according to Claim 7, wherein said holy fiber optic cable further comprises an evacuation hole formed in said core, wherein said evacuation hole is an opening into said core that is not at a terminus of said holey fiber optic cable, said evacuation hole adapted to introduce said known selective absorption medium into said plurality of voids.

AGLT-10020766-1/JPW/MJB Examiner: Chiem, Dinh D.

Serial No.: 10/616,090 Group Art Unit: 2883

3

9. (Original) The fiber optic absorption cell according to Claim 7, further

comprising a first fiber optic cable attached to a first terminus of said holey fiber optic

cable, adapted to couple said optical signal from a light source to said holey fiber optic

cable.

10. (Original) The fiber optic absorption cell according to Claim 7, further

comprising a second fiber optic cable attached to a second terminus of said holey fiber

optic cable, adapted to couple said optical signal from said holey fiber optic cable to a

detector.

11 through 49. (Cancelled)